


Model Content Export

Table of content:

UC1-Deployment Scenario

UC1-Deployment Scenario



Instances

Business Proce(s)actor)

Position
 External tool coupling
 Visibility
 IsAbstract
 IsLeaf
 Description
 Comment
 Presentation
 Extended properties
 User defined properties
 Open questions

STRING
 STRING
 ENUMERATION
 ENUMERATION
 ENUMERATION
 STRING
 STRING
 ENUMERATION
 ENUMERATIONLIST
 STRING
 STRING

NODE x:2cm y:9.5cm index:1

public
 no
 no

Standard

Purchase BPaaS(use case)

Position
 External tool coupling
 Visibility
 IsAbstract

STRING
 STRING
 ENUMERATION
 ENUMERATION

NODE x:5.5cm y:6cm w:4cm h:2cm index:2

public
 no

IsLeaf	ENUMERATION	no
Description	STRING	
Comment	STRING	
Preconditions	STRING	
Postconditions	STRING	
Presentation	ENUMERATION	Standard
Color	STRING	white
Extended properties	ENUMERATIONLIST	
User defined properties	STRING	
Trigger	STRING	
Incoming data	STRING	
Outgoing data	STRING	
Results	STRING	
Open questions	STRING	
Deployment of BPaaS bundle(use case)		
Position	STRING	NODE x:11cm y:8.5cm w:4cm h:2cm index:3
External tool coupling	STRING	
Visibility	ENUMERATION	public
IsAbstract	ENUMERATION	no
IsLeaf	ENUMERATION	no
Description	STRING	
Comment	STRING	
Preconditions	STRING	
Postconditions	STRING	
Presentation	ENUMERATION	Standard
Color	STRING	white
Extended properties	ENUMERATIONLIST	
User defined properties	STRING	
Trigger	STRING	
Incoming data	STRING	
Outgoing data	STRING	
Results	STRING	
Open questions	STRING	
Configure Monitoring environment(use case)		
Position	STRING	NODE x:19cm y:7cm w:4.5cm h:2.5cm index:5
External tool coupling	STRING	
Visibility	ENUMERATION	public
IsAbstract	ENUMERATION	no
IsLeaf	ENUMERATION	no
Description	STRING	
Comment	STRING	
Preconditions	STRING	
Postconditions	STRING	
Presentation	ENUMERATION	Standard
Color	STRING	white
Extended properties	ENUMERATIONLIST	
User defined properties	STRING	
Trigger	STRING	
Incoming data	STRING	
Outgoing data	STRING	
Results	STRING	
Open questions	STRING	
Deploy Software Components(use case)		
Position	STRING	NODE x:18.5cm y:16.5cm w:4.5cm h:2.5cm index:6
External tool coupling	STRING	
Visibility	ENUMERATION	public
IsAbstract	ENUMERATION	no
IsLeaf	ENUMERATION	no
Description	STRING	
Comment	STRING	
Preconditions	STRING	
Postconditions	STRING	
Presentation	ENUMERATION	Standard
Color	STRING	white
Extended properties	ENUMERATIONLIST	
User defined properties	STRING	
Trigger	STRING	
Incoming data	STRING	
Outgoing data	STRING	
Results	STRING	
Open questions	STRING	
Configure the associated rules and agreements(use case)		
Position	STRING	NODE x:15cm y:2.5cm w:4.5cm h:2.5cm index:7
External tool coupling	STRING	
Visibility	ENUMERATION	public

IsAbstract	ENUMERATION	no
IsLeaf	ENUMERATION	no
Description	STRING	
Comment	STRING	
Preconditions	STRING	
Postconditions	STRING	
Presentation	ENUMERATION	Standard
Color	STRING	white
Extended properties	ENUMERATIONLIST	
User defined properties	STRING	
Trigger	STRING	
Incoming data	STRING	
Outgoing data	STRING	
Results	STRING	
Open questions	STRING	

Deploy and configure the Workflow(use case)

Position	STRING	NODE x:13cm y:17cm w:4.5cm h:2.5cm index:8
External tool coupling	STRING	
Visibility	ENUMERATION	public
IsAbstract	ENUMERATION	no
IsLeaf	ENUMERATION	no
Description	STRING	
Comment	STRING	
Preconditions	STRING	
Postconditions	STRING	
Presentation	ENUMERATION	Standard
Color	STRING	white
Extended properties	ENUMERATIONLIST	
User defined properties	STRING	
Trigger	STRING	
Incoming data	STRING	
Outgoing data	STRING	
Results	STRING	
Open questions	STRING	

Validate preconditions(use case)

Position	STRING	NODE x:8.5cm y:1.5cm w:4cm h:2cm index:12
External tool coupling	STRING	
Visibility	ENUMERATION	public
IsAbstract	ENUMERATION	no
IsLeaf	ENUMERATION	no
Description	STRING	
Comment	STRING	
Preconditions	STRING	
Postconditions	STRING	
Presentation	ENUMERATION	Standard
Color	STRING	white
Extended properties	ENUMERATIONLIST	
User defined properties	STRING	
Trigger	STRING	
Incoming data	STRING	
Outgoing data	STRING	
Results	STRING	
Open questions	STRING	

Follow up the deployment status(use case)

Position	STRING	NODE x:7cm y:16.5cm w:4cm h:2cm index:14
External tool coupling	STRING	
Visibility	ENUMERATION	public
IsAbstract	ENUMERATION	no
IsLeaf	ENUMERATION	no
Description	STRING	
Comment	STRING	
Preconditions	STRING	
Postconditions	STRING	
Presentation	ENUMERATION	Standard
Color	STRING	white
Extended properties	ENUMERATIONLIST	
User defined properties	STRING	
Trigger	STRING	
Incoming data	STRING	
Outgoing data	STRING	
Results	STRING	
Open questions	STRING	

actor-20865(actor)

Position	STRING	NODE x:2cm y:19cm index:16
External tool coupling	STRING	
Visibility	ENUMERATION	public

IsAbstract	ENUMERATION	no
IsLeaf	ENUMERATION	no
Description	STRING	
Comment	STRING	
Presentation	ENUMERATION	Standard
Extended properties	ENUMERATIONLIST	
User defined properties	STRING	
Open questions	STRING	

Execution of the deployment plan/workflow(use case)

Position	STRING	NODE x:14.5cm y:12.5cm w:4.5cm h:2.5cm index:19
External tool coupling	STRING	
Visibility	ENUMERATION	public
IsAbstract	ENUMERATION	no
IsLeaf	ENUMERATION	no
Description	STRING	
Comment	STRING	
Preconditions	STRING	
Postconditions	STRING	
Presentation	ENUMERATION	Standard
Color	STRING	white
Extended properties	ENUMERATIONLIST	
User defined properties	STRING	
Trigger	STRING	
Incoming data	STRING	
Outgoing data	STRING	
Results	STRING	
Open questions	STRING	

Deploy Virtual Machines(use case)

Position	STRING	NODE x:20.5cm y:11cm w:4cm h:2cm index:23
External tool coupling	STRING	
Visibility	ENUMERATION	public
IsAbstract	ENUMERATION	no
IsLeaf	ENUMERATION	no
Description	STRING	
Comment	STRING	
Preconditions	STRING	
Postconditions	STRING	
Presentation	ENUMERATION	Standard
Color	STRING	white
Extended properties	ENUMERATIONLIST	
User defined properties	STRING	
Trigger	STRING	
Incoming data	STRING	
Outgoing data	STRING	
Results	STRING	
Open questions	STRING	

Relations

Business Proces->Purchase BPaaS(association)

Positions	STRING	EDGE 0 index:11
Name	STRING	
Comment	STRING	
Description	STRING	
Start	STRING	
Qualified association	STRING	
End	STRING	
Direction	ENUMERATION	Without
AttrRep	STRING	NOTEBOOK CHAPTER "Description" ATTR "Name" ATTR "Aggregation kind" ATTR "IsDerived" ctrltype:check checked-value:"yes" unchecked-value:"no" ATTR "Visibility" ATTR "IsAbstract" ctrltype:check checked-value:"yes" unchecked-value:"no" ATTR "IsLeaf" ctrltype:check checked-value:"yes" unchecked-value:"no" ATTR "Description" lines:4 ATTR "Comment" lines:4 CHAPTER "Presentation" ATTR "Reading direction" ctrltype:radio ATTR "Direction" ctrltype:radio ATTR "Not navigable end" ctrltype:radio CHAPTER "Role" GROUP "Role" ATTR "From role" ATTR "To role" ENDGROUP GROUP "Multiplicity" ATTR "Start" ATTR "End" ENDGROUP CHAPTER "Extended" ATTR "Extended property (from)" lines:4 ATTR "Extended property (to)" lines:4 ATTR "User defined property (from)" lines:2 ATTR "User defined property (to)" lines:2 ATTR

Docu	STRING	<p>"Qualified association" NOTEBOOK CHAPTER "Description" ATTR "Name" ATTR "Aggregation kind" ATTR "IsDerived" ctrltype:check checked-value:"yes" unchecked-value:"no" ATTR "Visibility" ATTR "IsAbstract" ctrltype:check checked-value:"yes" unchecked-value:"no" ATTR "IsLeaf" ctrltype:check checked-value:"yes" unchecked-value:"no" ATTR "Description" lines:4 ATTR "Comment" lines:4 CHAPTER "Role" GROUP "Role" ATTR "From role" ATTR "To role" ENDGROUP GROUP "Multiplicity" ATTR "Start" ATTR "End" ENDGROUP CHAPTER "Extended" ATTR "Extended property (from)" lines:4 ATTR "Extended property (to)" lines:4 ATTR "User defined property (from)" lines:2 ATTR "User defined property (to)" lines:2 ATTR "Qualified association"</p>
AnimRep HlpTxt	STRING STRING	<p>An association describes a set of tuples whose values refers to typed instances. An instance of an association is called a link.</p>
<p>Not navigable end Reading direction User defined property (to) IsAbstract IsLeaf Visibility IsDerived From role To role Extended property (to) Extended property (from) User defined property (from) GraphRep</p>	<p>ENUMERATION ENUMERATION STRING ENUMERATION ENUMERATION ENUMERATION ENUMERATION STRING STRING ENUMERATIONLIST ENUMERATIONLIST STRING LONGSTRING</p>	<p>Without Without no no public no</p>
		<p>GRAPHREP AVAL set-default:"Without" r:"Direction" AVAL set-default:"Without" nnb:"Not navigable end" AVAL iD:"IsDerived" AVAL name:"Name" AVAL start:"Start" AVAL from_role:"From role" AVAL end:"End" AVAL to_role:"To role" SHADOW mode:off PEN w:0.02cm EDGE START PEN style:normal AVAL typ:"Aggregation kind" AVAL q:"Qualified association" FONT h:10pt IF (LEN(q) > 0) FILL style:solid color:white RECTANGLE y:-0.5cm x:-1.2cm w:1.5cm h:1cm ATTR "Qualified association" x:-.4cm h:c w:c IF ((typ = "shared") OR (typ = "composite")) IF (typ = "composite") FILL style:solid color:black ENDIF POLYGON 4 x1:-1.2cm y1:0cm x2:-1.4cm y2:-.2cm x3:-1.62cm y3:0cm x4:-1.4cm y4:.2cm ELSE IF ((r = "Bidirectional") OR (r = "Incoming")) LINE x1:-1.4cm y1:.1cm x2:-1.1cm y2:0cm LINE x1:-1.4cm y1:-.1cm x2:-1.1cm y2:0cm ENDIF IF ((nnb = "Bidirectional") OR (nnb = "Incoming")) LINE x1:-1.6cm y1:.1cm x2:-1.3cm y2:-0.1cm LINE x1:-1.6cm y1:-.1cm x2:-1.3cm y2:0.1cm ENDIF ENDIF IF (start != "") ATTR "Start" x:-2.2cm y:.5cm w:c:3.0cm h:c:0.1cm line-break:rigorous ENDIF IF (from_role != "") ATTR "From role" x:-2.6cm y:-.3cm w:c:3.0cm h:c:0.1cm line-break:rigorous ENDIF ELSE IF ((typ = "composite") OR (typ = "shared")) IF (typ = "composite") FILL style:solid color:black ELSE FILL style:solid color:white ENDIF POLYGON 4 x1:0.1cm y1:0cm x2:-0.1cm y2:-.2cm x3:-0.3cm y3:0cm x4:-0.1cm y4:.2cm ELSE IF ((r = "Bidirectional") OR (r = "Incoming")) LINE x1:-.2cm y1:.1cm x2:0.1cm y2:0cm LINE x1:-.2cm y1:-.1cm x2:0.1cm y2:0cm ENDIF IF ((nnb = "Bidirectional") OR (nnb = "Incoming")) LINE x1:-.3cm y1:.1cm x2:0.1cm y2:-0.1cm LINE x1:-.3cm y1:-.1cm x2:0.1cm y2:0.1cm ENDIF ENDIF IF (start != "") ATTR "Start" x:-1.0cm y:.5cm w:c:2.0cm h:c:0.1cm line-break:rigorous ENDIF IF (from_role != "") ATTR "From role" x:-1.4cm y:-.3cm w:c:3.0cm h:c:0.1cm line-break:rigorous ENDIF ENDIF SET tt:"" AVAL e1:"Extended property (from)" IF (e1 != "\r\n") SET tt:(replall(e1,"n",",",")) SET tt:(replall(tt,"r",",")) SET tt:(replall(tt,"{",",")) SET tt:(replall(tt,"}",",")) ENDIF AVAL b1:"User defined</p>

		<pre> property (from)" IF (b1 != "") SET tt:(tt + b1 + ",") ENDIF IF ((tt != "") AND (tt != ",")) TEXT ("{" + copy(tt,0,LEN tt-1) +"}") y:-0.7cm x:-1.8cm w:c:4.0cm h:c:0.1cm line-break:rigorous ENDIF MIDDLE FILL style:solid color:black AVAL set-default:"Without" lr:"Reading direction" IF (lr = "Left to Right") POLYGON 3 x1:0.3cm y1:-.5cm x2:0.0cm y2:-.6cm x3:0.0cm y3:-.4cm ENDIF IF (lr = "Right to Left") POLYGON 3 x1:-0.3cm y1:-.5cm x2:0.0cm y2:-.6cm x3:0.0cm y3:-.4cm ENDIF IF (lr = "Top Down") POLYGON 3 x1:-0.1cm y1:-.6cm x2:0.1cm y2:-.6cm x3:0.0cm y3:-.4cm ENDIF IF (lr = "Bottom Up") POLYGON 3 x1:-0.1cm y1:-.4cm x2:0.1cm y2:-.4cm x3:0.0cm y3:-.6cm ENDIF FILL IF ((lr = "Top Down") OR (lr = "Bottom Up")) IF (id = "yes") IF (name != "") ATTR "Name" text:("/" + name) x:0.2cm w:l h:b ENDIF ELSE IF (name != "") ATTR "Name" x:0.2cm w:l h:b ENDIF ENDIF ELSE IF (id = "yes") IF (name != "") ATTR "Name" text:("/"+name) w:c h:b ENDIF ELSE IF (name != "") ATTR "Name" w:c h:b ENDIF ENDIF ENDIF END IF (end != "") ATTR "End" x:-1.0cm y:-.5cm w:c:2.0cm h:c:0.1cm line-break:rigorous ENDIF IF (to_role != "") ATTR "To role" x:-1.4cm y:.3cm w:c:3.0cm h:c:0.1cm line-break:rigorous ENDIF IF ((r = "Bidirectional") OR (r = "Outgoing")) LINE x1:-.3cm y1:.1cm x2:0cm y2:0cm LINE x1:-.3cm y1:-.1cm x2:0cm y2:0cm ENDIF IF ((nbn = "Bidirectional") OR (nbn = "Outgoing")) LINE x1:-.4cm y1:.1cm x2:0.0cm y2:-0.1cm LINE x1:-.4cm y1:-.1cm x2:0.0cm y2:0.1cm ENDIF SET txt:"" AVAL e2:"Extended property (to)" IF (e2 != "\r\n") SET txt:(replall(e2,"\n","")) SET txt:(replall(txt,"\r","")) SET txt:(replall(txt,"{","")) SET txt:(replall(txt,"}","")) ENDIF AVAL b2:"User defined property (to)" IF (b2 != "") SET txt:(txt + b2 + ",") ENDIF IF ((txt != "") AND (txt != ",")) TEXT ("{" + copy(txt,0,LEN txt-1) +"}") y:0.7cm x:-1.8cm w:c:4.0cm h:c:0.1cm line-break:rigorous ENDIF none </pre>
<p>Aggregation kind</p>	<p>ENUMERATION</p>	
<p>Business Proces->Follow up the deployment status(association)</p>		
<p>Positions Name Comment Description Start Qualified association End Direction AttrRep</p>	<p>STRING STRING STRING STRING STRING STRING STRING ENUMERATION STRING</p>	<p>EDGE 0 index:15</p>
		<p>Without NOTEBOOK CHAPTER "Description" ATTR "Name" ATTR "Aggregation kind" ATTR "IsDerived" ctrltype:check checked-value:"yes" unchecked-value:"no" ATTR "Visibility" ATTR "IsAbstract" ctrltype:check checked-value:"yes" unchecked-value:"no" ATTR "IsLeaf" ctrltype:check checked-value:"yes" unchecked-value:"no" ATTR "Description" lines:4 ATTR "Comment" lines:4 CHAPTER "Presentation" ATTR "Reading direction" ctrltype:radio ATTR "Direction" ctrltype:radio ATTR "Not navigable end" ctrltype:radio CHAPTER "Role" GROUP "Role" ATTR "From role" ATTR "To role" ENDGROUP GROUP "Multiplicity" ATTR "Start" ATTR "End" ENDGROUP CHAPTER "Extended" ATTR "Extended property (from)" lines:4 ATTR "Extended property (to)" lines:4 ATTR "User defined property (from)" lines:2 ATTR "User defined property (to)" lines:2 ATTR "Qualified association"</p>
<p>Docu</p>	<p>STRING</p>	<p>NOTEBOOK CHAPTER "Description" ATTR "Name" ATTR "Aggregation kind" ATTR "IsDerived" ctrltype:check checked-value:"yes" unchecked-value:"no" ATTR "Visibility" ATTR "IsAbstract" ctrltype:check checked-value:"yes" unchecked-value:"no" ATTR "IsLeaf" ctrltype:check checked-value:"yes" unchecked-value:"no" ATTR "Description" lines:4 ATTR "Comment" lines:4 CHAPTER "Role" GROUP "Role" ATTR "From role" ATTR "To role"</p>

		ENDGROUP GROUP "Multiplicity" ATTR "Start" ATTR "End" ENDMETHOD CHAPTER "Extended" ATTR "Extended property (from)" lines:4 ATTR "Extended property (to)" lines:4 ATTR "User defined property (from)" lines:2 ATTR "User defined property (to)" lines:2 ATTR "Qualified association"
AnimRep	STRING	
HlpTxt	STRING	An association describes a set of tuples whose values refers to typed instances. An instance of an association is called a link.
		Without
		Without
Not navigable end	ENUMERATION	no
Reading direction	ENUMERATION	no
User defined property (to)	STRING	public
IsAbstract	ENUMERATION	no
IsLeaf	ENUMERATION	no
Visibility	ENUMERATION	no
IsDerived	ENUMERATION	no
From role	STRING	
To role	STRING	
Extended property (to)	ENUMERATIONLIST	
Extended property (from)	ENUMERATIONLIST	
User defined property (from)	STRING	
GraphRep	LONGSTRING	<p>GRAPHREP AVAL set-default:"Without" r:"Direction" AVAL set-default:"Without" nnb:"Not navigable end" AVAL iD:"IsDerived" AVAL name:"Name" AVAL start:"Start" AVAL from_role:"From role" AVAL end:"End" AVAL to_role:"To role" SHADOW mode:off PEN w:0.02cm EDGE START PEN style:normal AVAL typ:"Aggregation kind" AVAL q:"Qualified association" FONT h:10pt IF (LEN(q) > 0) FILL style:solid color:white RECTANGLE y:-0.5cm x:-1.2cm w:1.5cm h:1cm ATTR "Qualified association" x:-.4cm h:c w:c IF ((typ = "shared") OR (typ = "composite")) IF (typ = "composite") FILL style:solid color:black ENDIF POLYGON 4 x1:-1.2cm y1:0cm x2:-1.4cm y2:-.2cm x3:-1.62cm y3:0cm x4:-1.4cm y4:.2cm ELSE IF ((r = "Bidirectional") OR (r = "Incoming")) LINE x1:-1.4cm y1:.1cm x2:-1.1cm y2:0cm LINE x1:-1.4cm y1:-.1cm x2:-1.1cm y2:0cm ENDIF IF ((nnb = "Bidirectional") OR (nnb = "Incoming")) LINE x1:-1.6cm y1:.1cm x2:-1.3cm y2:-.01cm LINE x1:-1.6cm y1:-.1cm x2:-1.3cm y2:0.1cm ENDIF ENDIF IF (start != "") ATTR "Start" x:-2.2cm y:.5cm w:c:3.0cm h:c:0.1cm line-break:rigorous ENDIF IF (from_role != "") ATTR "From role" x:-2.6cm y:-.3cm w:c:3.0cm h:c:0.1cm line-break:rigorous ENDIF ELSE IF ((typ = "composite") OR (typ = "shared")) IF (typ = "composite") FILL style:solid color:black ELSE FILL style:solid color:white ENDIF POLYGON 4 x1:0.1cm y1:0cm x2:-0.1cm y2:-.2cm x3:-0.3cm y3:0cm x4:-0.1cm y4:.2cm ELSE IF ((r = "Bidirectional") OR (r = "Incoming")) LINE x1:-.2cm y1:.1cm x2:0.1cm y2:0cm LINE x1:-.2cm y1:-.1cm x2:0.1cm y2:0cm ENDIF IF ((nnb = "Bidirectional") OR (nnb = "Incoming")) LINE x1:-.3cm y1:.1cm x2:0.1cm y2:-.01cm LINE x1:-.3cm y1:-.1cm x2:0.1cm y2:0.1cm ENDIF ENDIF IF (start != "") ATTR "Start" x:-1.0cm y:.5cm w:c:2.0cm h:c:0.1cm line-break:rigorous ENDIF IF (from_role != "") ATTR "From role" x:-1.4cm y:-.3cm w:c:3.0cm h:c:0.1cm line-break:rigorous ENDIF ENDIF SET tt:"" AVAL e1:"Extended property (from)" IF (e1 != "\n") SET tt:(replall(e1,"n",";")) SET tt:(replall(tt,"r","")) SET tt:(replall(tt,"{","")) SET tt:(replall(tt,"}","")) ENDIF AVAL b1:"User defined property (from)" IF (b1 != "") SET tt:(tt + b1 + ",") ENDIF IF ((tt != "") AND (tt != ",")) TEXT ("{" + copy(tt,0,LEN tt-1) + "}") y:-0.7cm x:-1.8cm w:c:4.0cm h:c:0.1cm line-break:rigorous ENDIF MIDDLE FILL style:solid color:black AVAL set-default:"Without" lr:"Reading direction" IF (lr = "Left to Right") POLYGON 3 x1:0.3cm y1:-.5cm x2:0.0cm y2:-.6cm x3:0.0cm y3:-.4cm ENDIF IF (lr = "Right to Left") POLYGON 3 x1:-0.3cm y1:-.5cm x2:0.0cm y2:-.6cm x3:0.0cm y3:-.4cm ENDIF IF (lr = "Top Down") POLYGON 3 x1:-0.1cm y1:-.6cm</p>

		<pre>x2:0.1cm y2:-.6cm x3:0.0cm y3:-.4cm ENDIF IF (lr = "Bottom Up") POLYGON 3 x1:-0.1cm y1:-.4cm x2:0.1cm y2:-.4cm x3:0.0cm y3:-.6cm ENDIF FILL IF ((lr = "Top Down") OR (lr = "Bottom Up")) IF (id = "yes") IF (name != "") ATTR "Name" text:("/" + name) x:0.2cm w:l h:b ENDIF ELSE IF (name != "") ATTR "Name" x:0.2cm w:l h:b ENDIF ENDIF ELSE IF (id = "yes") IF (name != "") ATTR "Name" text:("/"+name) w:c h:b ENDIF ELSE IF (name != "") ATTR "Name" w:c h:b ENDIF ENDIF ENDIF END IF (end != "") ATTR "End" x:-1.0cm y:-.5cm w:c:2.0cm h:c:0.1cm line-break:rigorous ENDIF IF (to_role != "") ATTR "To role" x:-1.4cm y:.3cm w:c:3.0cm h:c:0.1cm line-break:rigorous ENDIF IF ((r = "Bidirectional") OR (r = "Outgoing")) LINE x1:-.3cm y1:.1cm x2:0cm y2:0cm LINE x1:-.3cm y1:-.1cm x2:0cm y2:0cm ENDIF IF ((nbn = "Bidirectional") OR (nbn = "Outgoing")) LINE x1:-.4cm y1:.1cm x2:0.0cm y2:-0.1cm LINE x1:-.4cm y1:-.1cm x2:0.0cm y2:0.1cm ENDIF SET txt:"" AVAL e2:"Extended property (to)" IF (e2 != "\r\n") SET txt:(replall(e2,"\n"," ")) SET txt:(replall(txt,"\r"," ")) SET txt:(replall(txt,"{"," ")) SET txt:(replall(txt,"}"," ")) ENDIF AVAL b2:"User defined property (to)" IF (b2 != "") SET txt:(txt + b2 + ",") ENDIF IF ((txt != "") AND (txt != ",")) TEXT ("{" + copy(txt,0,LEN txt-1) + "}") y:0.7cm x:-1.8cm w:c:4.0cm h:c:0.1cm line-break:rigorous ENDIF none</pre>
<p>Aggregation kind</p> <p>Deployment of BPaaS bundle->Purchase BPaaS(extend)</p> <p>Positions</p> <p>Comment</p> <p>Description</p> <p>State</p> <p>AttrRep</p>	<p>ENUMERATION</p> <p>STRING</p> <p>STRING</p> <p>STRING</p> <p>STRING</p> <p>STRING</p>	<p>EDGE 0 index:4</p> <p>NOTEBOOK CHAPTER "Description" ATTR "Name" ATTR "Description" lines:4 ATTR "Comment" lines:4 CHAPTER "Condition" ATTR "Condition" ATTR "Points of extension" GRAPHREP SHADOW mode:off PEN w:0.02cm style:dot EDGE MIDDLE AVAL set-default:"klein" s:"State" IF (s = "klein") FONT h:8.0pt TEXT "extend" x:0.00cm y:0.00cm w:c:2.00cm h:t ELSE TEXT "«extend»" x:0.10cm y:0.00cm w:l:2.00cm h:t ENDIF AVAL con:"Condition" AVAL ep:"Points of extension" IF ((LEN con) OR (LEN ep)) PEN w:0.02cm ELLIPSE x:0.0cm y:0.0cm rx:0.05cm ry:0.05cm PEN w:0.02cm style:dot LINE x1:0.0cm y1:0.0cm x2:0.5cm y2:-0.5cm PEN TEXT ("Condition: {" + con + "}") x:0.5cm y:-1.5cm w:c:4.00cm TEXT ("extension points:" + ep) x:0.5cm y:-1.0cm w:c:4.00cm ENDIF END FILL color:black POLYLINE 3 x1:-.33cm y1:-.11cm x2:0.0cm y2:0.0cm x3:-.33cm y3:0.11cm</p>
<p>GraphRep</p> <p>AnimRep</p> <p>HlpTxt</p>	<p>STRING</p> <p>STRING</p> <p>STRING</p>	<p>A relationship from an extending use case to an extended use case that specifies how and when the behavior defined in the extending use case can be inserted into the behavior defined in the extended use case.</p>
<p>Condition</p> <p>Points of extension</p> <p>Docu</p> <p>Name</p>	<p>STRING</p> <p>STRING</p> <p>STRING</p> <p>STRING</p>	<p>NOTEBOOK CHAPTER "Description" ATTR "Description" lines:4 ATTR "Comment" lines:4 CHAPTER "Condition" ATTR "Condition" ATTR "Points of extension"</p>
<p>Configure Monitoring environment->Deployment of BPaaS bundle(include)</p> <p>Positions</p> <p>GraphRep</p> <p>AttrRep</p>	<p>STRING</p> <p>STRING</p> <p>STRING</p>	<p>EDGE 0 index:9 MIDDLE x:14.13cm y:7.91cm GRAPHREP SHADOW mode:off PEN w:0.02cm style:dot EDGE MIDDLE AVAL set-default:"klein" s:"State" IF (s = "klein") FONT h:8.0pt TEXT "include" x:0.00cm y:0.00cm w:c:2.00cm h:t ELSE TEXT "«include»" x:0.10cm y:0.00cm w:l:2.00cm h:t ENDIF END FILL color:black POLYLINE 3 x1:-.33cm y1:-.11cm x2:0.0cm y2:0.0cm x3:-.33cm y3:0.11cm NOTEBOOK CHAPTER "Description" ATTR "Name" ATTR "Description" lines:5 ATTR</p>

		"Comment" lines:5
State	STRING	
Name	STRING	
Comment	STRING	
Description	STRING	

Deploy Software Components->Execution of the deployment plan/workflow(include)

Positions	STRING	EDGE 0 index:22
GraphRep	STRING	GRAPHREP SHADOW mode:off PEN w:0.02cm style:dot EDGE MIDDLE AVAL set-default:"klein" s:"State" IF (s = "klein") FONT h:8.0pt TEXT "include" x:0.00cm y:0.00cm w:c:2.00cm h:t ELSE TEXT "«include»" x:0.10cm y:0.00cm w:l:2.00cm h:t ENDIF END FILL color:black POLYLINE 3 x1:-.33cm y1:-.11cm x2:0.0cm y2:0.0cm x3:-.33cm y3:0.11cm
AttrRep	STRING	NOTEBOOK CHAPTER "Description" ATTR "Name" ATTR "Description" lines:5 ATTR "Comment" lines:5

State	STRING
Name	STRING
Comment	STRING
Description	STRING

Deploy Software Components->Deploy Virtual Machines(dependency)

Positions	STRING	EDGE 0 index:25
Comment	STRING	
Description	STRING	
Start	STRING	
End	STRING	
Direction	ENUMERATION	Outgoing
AttrRep	STRING	NOTEBOOK CHAPTER "Description" ATTR "Name" ATTR "Dependency name" ATTR "Visibility" GROUP "Cardinality" ATTR "Start" ATTR "End" ENDGROUP ATTR "Description" lines:4 ATTR "Comment" lines:4 CHAPTER "Presentation" ATTR "Direction" ctrltype:radio

GraphRep	STRING	GRAPHREP SHADOW mode:off PEN w:0.02cm style:dot EDGE AVAL start:"Start" AVAL end:"End" START PEN style:normal IF (start != "") ATTR "Start" x:-.3cm y:.3cm w:c h:c ENDIF AVAL set-default:"Outgoing" r:"Direction" IF (r = "Bidirectional") LINE x1:-.3cm y1:.1cm x2:0cm y2:0cm LINE x1:-.3cm y1:-.1cm x2:0cm y2:0cm ENDIF AVAL depname:"Dependency name" MIDDLE IF (depname != "") ATTR "Dependency name" text:("«" + depname + "»") x:0.1cm w:l:2.0cm h:b ENDIF END IF (end != "") ATTR "End" x:-.3cm y:-.3cm w:c h:c ENDIF LINE x1:-.3cm y1:.1cm x2:0cm y2:0cm LINE x1:-.3cm y1:-.1cm x2:0cm y2:0cm
Docu	STRING	NOTEBOOK CHAPTER "Description" ATTR "Dependency name" ATTR "Visibility" GROUP "Cardinality" ATTR "Start" ATTR "End" ENDGROUP ATTR "Description" lines:4 ATTR "Comment" lines:4 CHAPTER "Presentation" ATTR "Direction" ctrltype:radio

AnimRep	STRING	A dependency is a relationship that signifies that a single or a set of model elements requires other model elements for their specification or implementation. This means that the complete semantics of the depending elements is either semantically or structurally dependent on the definition of the supplier element(s).
HlpTxt	STRING	
Visibility	ENUMERATION	public
Dependency name	STRING	use
Name	STRING	

Configure the associated rules and agreements->Deployment of BPaaS bundle(include)

Positions	STRING	EDGE 0 index:10
GraphRep	STRING	GRAPHREP SHADOW mode:off PEN w:0.02cm style:dot EDGE MIDDLE AVAL set-default:"klein" s:"State" IF (s = "klein") FONT h:8.0pt TEXT "include" x:0.00cm y:0.00cm w:c:2.00cm h:t ELSE TEXT "«include»" x:0.10cm y:0.00cm w:l:2.00cm h:t ENDIF END FILL color:black POLYLINE 3 x1:-.33cm y1:-.11cm x2:0.0cm y2:0.0cm x3:-.33cm y3:0.11cm
AttrRep	STRING	NOTEBOOK CHAPTER "Description" ATTR

"Name" ATTR "Description" lines:5 ATTR
 "Comment" lines:5

State STRING
 Name STRING
 Comment STRING
 Description STRING

Deploy and configure the Workflow->Execution of the deployment plan/workflow(include)

Positions STRING EDGE 0 index:21
 GraphRep STRING GRAPHREP SHADOW mode:off PEN w:0.02cm style:dot EDGE MIDDLE AVAL set-default:"klein" s:"State" IF (s = "klein") FONT h:8.0pt TEXT "include" x:0.00cm y:0.00cm w:c:2.00cm h:t ELSE TEXT "«include»" x:0.10cm y:0.00cm w:l:2.00cm h:t ENDIF END FILL color:black POLYLINE 3 x1:-.33cm y1:-.11cm x2:0.0cm y2:0.0cm x3:-.33cm y3:0.11cm
 AttrRep STRING NOTEBOOK CHAPTER "Description" ATTR "Name" ATTR "Description" lines:5 ATTR "Comment" lines:5

State STRING
 Name STRING
 Comment STRING
 Description STRING

Validate preconditions->Purchase BPaaS(include)

Positions STRING EDGE 0 index:13
 GraphRep STRING GRAPHREP SHADOW mode:off PEN w:0.02cm style:dot EDGE MIDDLE AVAL set-default:"klein" s:"State" IF (s = "klein") FONT h:8.0pt TEXT "include" x:0.00cm y:0.00cm w:c:2.00cm h:t ELSE TEXT "«include»" x:0.10cm y:0.00cm w:l:2.00cm h:t ENDIF END FILL color:black POLYLINE 3 x1:-.33cm y1:-.11cm x2:0.0cm y2:0.0cm x3:-.33cm y3:0.11cm
 AttrRep STRING NOTEBOOK CHAPTER "Description" ATTR "Name" ATTR "Description" lines:5 ATTR "Comment" lines:5

State STRING
 Name STRING
 Comment STRING
 Description STRING

Follow up the deployment status->Deployment of BPaaS bundle(dependency)

Positions STRING EDGE 0 index:18
 Comment STRING
 Description STRING
 Start STRING
 End STRING
 Direction ENUMERATION
 AttrRep STRING

GraphRep STRING
 Docu STRING
 AnimRep STRING
 HlpTxt STRING

Outgoing
 NOTEBOOK CHAPTER "Description" ATTR "Name" ATTR "Dependency name" ATTR "Visibility" GROUP "Cardinality" ATTR "Start" ATTR "End" ENDGROUP ATTR "Description" lines:4 ATTR "Comment" lines:4 CHAPTER "Presentation" ATTR "Direction" ctrltype:radio GRAPHREP SHADOW mode:off PEN w:0.02cm style:dot EDGE AVAL start:"Start" AVAL end:"End" START PEN style:normal IF (start != "") ATTR "Start" x:-.3cm y:.3cm w:c h:c ENDIF AVAL set-default:"Outgoing" r:"Direction" IF (r = "Bidirectional") LINE x1:-.3cm y1:.1cm x2:0cm y2:0cm LINE x1:-.3cm y1:-.1cm x2:0cm y2:0cm ENDIF AVAL depname:"Dependency name" MIDDLE IF (depname != "") ATTR "Dependency name" text:(«" + depname + "») x:0.1cm w:l:2.0cm h:b ENDIF END IF (end != "") ATTR "End" x:-.3cm y:-.3cm w:c h:c ENDIF LINE x1:-.3cm y1:.1cm x2:0cm y2:0cm LINE x1:-.3cm y1:-.1cm x2:0cm y2:0cm

A dependency is a relationship that signifies that a single or a set of model elements requires other model elements for their specification or

Visibility ENUMERATION
 Dependency name STRING
 Name STRING

implementation. This means that the complete semantics of the depending elements is either semantically or structurally dependent on the definition of the supplier element(s).

public
 monitor

actor-20865->Follow up the deployment status(association)

Positions STRING
 Name STRING
 Comment STRING
 Description STRING
 Start STRING
 Qualified association STRING
 End STRING
 Direction ENUMERATION
 AttrRep STRING

EDGE 0 index:17

Docu STRING

Without
 NOTEBOOK CHAPTER "Description" ATTR
 "Name" ATTR "Aggregation kind" ATTR
 "IsDerived" ctrltype:check checked-value:"yes"
 unchecked-value:"no" ATTR "Visibility" ATTR
 "IsAbstract" ctrltype:check checked-value:"yes"
 unchecked-value:"no" ATTR "IsLeaf"
 ctrltype:check checked-value:"yes"
 unchecked-value:"no" ATTR "Description" lines:4
 ATTR "Comment" lines:4 CHAPTER
 "Presentation" ATTR "Reading direction"
 ctrltype:radio ATTR "Direction" ctrltype:radio ATTR
 "Not navigable end" ctrltype:radio CHAPTER
 "Role" GROUP "Role" ATTR "From role" ATTR
 "To role" ENDGROUP GROUP "Multiplicity" ATTR
 "Start" ATTR "End" ENDGROUP CHAPTER
 "Extended" ATTR "Extended property (from)"
 lines:4 ATTR "Extended property (to)" lines:4
 ATTR "User defined property (from)" lines:2 ATTR
 "User defined property (to)" lines:2 ATTR
 "Qualified association"
 NOTEBOOK CHAPTER "Description" ATTR
 "Name" ATTR "Aggregation kind" ATTR
 "IsDerived" ctrltype:check checked-value:"yes"
 unchecked-value:"no" ATTR "Visibility" ATTR
 "IsAbstract" ctrltype:check checked-value:"yes"
 unchecked-value:"no" ATTR "IsLeaf"
 ctrltype:check checked-value:"yes"
 unchecked-value:"no" ATTR "Description" lines:4
 ATTR "Comment" lines:4 CHAPTER "Role"
 GROUP "Role" ATTR "From role" ATTR "To role"
 ENDGROUP GROUP "Multiplicity" ATTR "Start"
 ATTR "End" ENDGROUP CHAPTER "Extended"
 ATTR "Extended property (from)" lines:4 ATTR
 "Extended property (to)" lines:4 ATTR "User
 defined property (from)" lines:2 ATTR "User
 defined property (to)" lines:2 ATTR "Qualified
 association"

AnimRep STRING
 HlpTxt STRING

An association describes a set of tuples whose values refers to typed instances. An instance of an association is called a link.

Not navigable end ENUMERATION
 Reading direction ENUMERATION
 User defined property (to) STRING
 IsAbstract ENUMERATION
 IsLeaf ENUMERATION
 Visibility ENUMERATION
 IsDerived ENUMERATION
 From role STRING
 To role STRING
 Extended property (to) ENUMERATIONLIST
 Extended property (from) ENUMERATIONLIST
 User defined property (from) STRING
 GraphRep LONGSTRING

Without
 Without

no
 no
 public
 no

GRAPHREP AVAL set-default:"Without"
 r:"Direction" AVAL set-default:"Without" nnb:"Not
 navigable end" AVAL iD:"IsDerived" AVAL
 name:"Name" AVAL start:"Start" AVAL
 from_role:"From role" AVAL end:"End" AVAL
 to_role:"To role" SHADOW mode:off PEN
 w:0.02cm EDGE START PEN style:normal AVAL
 typ:"Aggregation kind" AVAL q:"Qualified
 association" FONT h:10pt IF (LEN(q) > 0) FILL
 style:solid color:white RECTANGLE y:-0.5cm

```

x:-1.2cm w:1.5cm h:1cm ATTR "Qualified
association" x:-.4cm h:c w:c IF ((typ = "shared")
OR (typ = "composite")) IF (typ = "composite")
FILL style:solid color:black ENDIF POLYGON 4
x1:-1.2cm y1:0cm x2:-1.4cm y2:-.2cm x3:-1.62cm
y3:0cm x4:-1.4cm y4:.2cm ELSE IF ((r =
"Bidirectional") OR (r = "Incoming")) LINE
x1:-1.4cm y1:.1cm x2:-1.1cm y2:0cm LINE
x1:-1.4cm y1:-.1cm x2:-1.1cm y2:0cm ENDIF IF
((nbn = "Bidirectional") OR (nbn = "Incoming"))
LINE x1:-1.6cm y1:.1cm x2:-1.3cm y2:-0.1cm
LINE x1:-1.6cm y1:-.1cm x2:-1.3cm y2:0.1cm
ENDIF ENDIF IF (start != "") ATTR "Start"
x:-2.2cm y:.5cm w:c:3.0cm h:c:0.1cm
line-break:rigorous ENDIF IF (from_role != "")
ATTR "From role" x:-2.6cm y:-.3cm w:c:3.0cm
h:c:0.1cm line-break:rigorous ENDIF ELSE IF
((typ = "composite") OR (typ = "shared")) IF (typ =
"composite") FILL style:solid color:black ELSE
FILL style:solid color:white ENDIF POLYGON 4
x1:0.1cm y1:0cm x2:-0.1cm y2:-.2cm x3:-0.3cm
y3:0cm x4:-0.1cm y4:.2cm ELSE IF ((r =
"Bidirectional") OR (r = "Incoming")) LINE x1:-.2cm
y1:.1cm x2:0.1cm y2:0cm LINE x1:-.2cm y1:-.1cm
x2:0.1cm y2:0cm ENDIF IF ((nbn = "Bidirectional")
OR (nbn = "Incoming")) LINE x1:-.3cm y1:.1cm
x2:0.1cm y2:-0.1cm LINE x1:-.3cm y1:-.1cm
x2:0.1cm y2:0.1cm ENDIF ENDIF IF (start != "")
ATTR "Start" x:-1.0cm y:.5cm w:c:2.0cm h:c:0.1cm
line-break:rigorous ENDIF IF (from_role != "")
ATTR "From role" x:-1.4cm y:-.3cm w:c:3.0cm
h:c:0.1cm line-break:rigorous ENDIF ENDIF SET
tt:" AVAL e1:"Extended property (from)" IF (e1 !=
"\r\n") SET tt:(replall(e1,"\n","")) SET
tt:(replall(tt,"\r","")) SET tt:(replall(tt,"{","")) SET
tt:(replall(tt,"}","")) ENDIF AVAL b1:"User defined
property (from)" IF (b1 != "") SET tt:(tt + b1 + "," )
ENDIF IF ((tt != "") AND (tt != ",")) TEXT ("{" +
copy(tt,0,LEN tt-1) + "}") y:-0.7cm x:-1.8cm
w:c:4.0cm h:c:0.1cm line-break:rigorous ENDIF
MIDDLE FILL style:solid color:black AVAL
set-default:"Without" lr:"Reading direction" IF (lr =
"Left to Right") POLYGON 3 x1:0.3cm y1:-.5cm
x2:0.0cm y2:-.6cm x3:0.0cm y3:-.4cm ENDIF IF (lr =
"Right to Left") POLYGON 3 x1:-0.3cm y1:-.5cm
x2:0.0cm y2:-.6cm x3:0.0cm y3:-.4cm ENDIF IF (lr =
"Top Down") POLYGON 3 x1:-0.1cm y1:-.6cm
x2:0.1cm y2:-.6cm x3:0.0cm y3:-.4cm ENDIF IF (lr =
"Bottom Up") POLYGON 3 x1:-0.1cm y1:-.4cm
x2:0.1cm y2:-.4cm x3:0.0cm y3:-.6cm ENDIF FILL
IF ((lr = "Top Down") OR (lr = "Bottom Up")) IF (id
= "yes") IF (name != "") ATTR "Name" text:("/" +
name) x:0.2cm w:l h:b ENDIF ELSE IF (name !=
"") ATTR "Name" x:0.2cm w:l h:b ENDIF ENDIF
ELSE IF (id = "yes") IF (name != "") ATTR "Name"
text:("/"+name) w:c h:b ENDIF ELSE IF (name !=
"") ATTR "Name" w:c h:b ENDIF ENDIF ENDIF
END IF (end != "") ATTR "End" x:-1.0cm y:-.5cm
w:c:2.0cm h:c:0.1cm line-break:rigorous ENDIF IF
(to_role != "") ATTR "To role" x:-1.4cm y:.3cm
w:c:3.0cm h:c:0.1cm line-break:rigorous ENDIF IF
((r = "Bidirectional") OR (r = "Outgoing")) LINE
x1:-.3cm y1:.1cm x2:0cm y2:0cm LINE x1:-.3cm
y1:-.1cm x2:0cm y2:0cm ENDIF IF ((nbn =
"Bidirectional") OR (nbn = "Outgoing")) LINE
x1:-.4cm y1:.1cm x2:0.0cm y2:-0.1cm LINE
x1:-.4cm y1:-.1cm x2:0.0cm y2:0.1cm ENDIF SET
txt:" AVAL e2:"Extended property (to)" IF (e2 !=
"\r\n") SET txt:(replall(e2,"\n","")) SET
txt:(replall(txt,"\r","")) SET txt:(replall(txt,"{","")) SET
txt:(replall(txt,"}","")) ENDIF AVAL b2:"User
defined property (to)" IF (b2 != "") SET txt:(txt + b2
+ "," ) ENDIF IF ((txt != "") AND (txt != ",")) TEXT
("{" + copy(txt,0,LEN txt-1) + "}") y:0.7cm x:-1.8cm
w:c:4.0cm h:c:0.1cm line-break:rigorous ENDIF
none

```

Aggregation kind

ENUMERATION

Execution of the deployment plan/workflow->Deployment of BPaaS bundle(include)

Positions

STRING

EDGE 0 index:20

GraphRep

STRING

GRAPHREP SHADOW mode:off PEN w:0.02cm

<p>AttrRep</p> <p>State Name Comment Description</p> <p>Deploy Virtual Machines->Execution of the deployment plan/workflow(include)</p> <p>Positions GraphRep</p> <p>AttrRep</p> <p>State Name Comment Description</p>	<p>STRING</p> <p>STRING STRING STRING STRING</p> <p>STRING</p> <p>STRING</p> <p>STRING</p> <p>STRING</p> <p>STRING</p> <p>STRING</p> <p>STRING</p> <p>STRING</p>	<pre> style:dot EDGE MIDDLE AVAL set-default:"klein" s:"State" IF (s = "klein") FONT h:8.0pt TEXT "include" x:0.00cm y:0.00cm w:c:2.00cm h:t ELSE TEXT "«include»" x:0.10cm y:0.00cm w:l:2.00cm h:t ENDIF END FILL color:black POLYLINE 3 x1:-.33cm y1:-.11cm x2:0.0cm y2:0.0cm x3:-.33cm y3:0.11cm NOTEBOOK CHAPTER "Description" ATTR "Name" ATTR "Description" lines:5 ATTR "Comment" lines:5 </pre> <pre> EDGE 0 index:24 GRAPHREP SHADOW mode:off PEN w:0.02cm style:dot EDGE MIDDLE AVAL set-default:"klein" s:"State" IF (s = "klein") FONT h:8.0pt TEXT "include" x:0.00cm y:0.00cm w:c:2.00cm h:t ELSE TEXT "«include»" x:0.10cm y:0.00cm w:l:2.00cm h:t ENDIF END FILL color:black POLYLINE 3 x1:-.33cm y1:-.11cm x2:0.0cm y2:0.0cm x3:-.33cm y3:0.11cm NOTEBOOK CHAPTER "Description" ATTR "Name" ATTR "Description" lines:5 ATTR "Comment" lines:5 </pre>
--	--	---